

COLORFASTNESS TO PERSPIRATION TESTERS

Perspiration Test Kit

KFG-2041

Determines Colorfastness of Textiles to human perspiration. Consisting of two stainless steel frames which can each be loaded with up to 20 samples of 10 x 4 cm between the supplied acrylic separator plates. Loading weights for AATCC TM 15/106/107 and ISO 105 E01/2/4 are included.

Acrylic Separator Plates

KFG-2042

Spare set of 42 Acrylic Separator Plates.

Oven/Incubator

KFG-2093

Incubator 30-90 degrees C, 40 liters capacity

AATCC and ISO Perspiration Tests Chemicals

KCT-2043

Set of chemicals for AATCC and ISO Perspiration Tests, includes:

- 500g Sodium Chloride
- 500g Sodium Dihydrogen Orthophosphate
- 500g Disodium Hydrogen Orthophosphate
- 200g L'Histidine Monohydrochloride

Multifiber Adjacent Fabric

KCT-3001-CC

Multifiber Adjacent Fabric AATCC, 2 x 2" cold cut
(Pack of 1000) for static colorfastness tests.

Multifiber Warp Stripe Ribbon

KCT-3002

Multifiber Warp Stripe Ribbon ISO, 4 x 10cm (Pack of 1000).

AATCC Gray Scale

KCT-3061

AATCC Gray Scale (Staining)

